

DRAFT ORDER FOR SUPPLIES OR SERVICES

IMPORTANT: Mark all packages and papers with contract and/or order numbers.

PAGE OF PAGES
Page 1

1. DATE OF ORDER		2. CONTRACT NO.(If any)		6. SHIP TO: PR9394373, ASHGA		
3. ORDER NO.		4. REQUISITION/REFERENCE NO. PR9394373		a. NAME OF CONSIGNEE ATTN: IKUN, LLC		
5. ISSUING OFFICE (Address correspondence to) AMERICAN EMBASSY ASHGABAT 9, 1984 STREET (FORMER PUSHKIN STREET) ATTN: GSO/PROCUREMENT ASHGABAT, 744000 Contact Name: Phone: Email:				b. STREET ADDRESS 2801 ROUTE 130 UNIT 1		e. ZIP CODE 08902
				c. CITY NORTH BRUNSWICK		
				f. SHIP VIA		
7. TO:				8. TYPE OF ORDER		
a. NAME OF CONTRACTOR DUNS NUMBER 0		CONTACT PHONE NUMBER E-MAIL: FAX:		<input type="checkbox"/> a. PURCHASE ORDER REFERENCE YOUR: _____ Please furnish the following on the terms and conditions specified on both sides of this order and on the attached sheet, if any, including delivery as indicated.		<input type="checkbox"/> b. DELIVERY ORDER -- Except for billing instructions on the reverse, this delivery order is subject to instructions contained on this side only of this form and is issued subject to the terms and conditions of the above-numbered contract.
b. COMPANY NAME NOVENDOR		c. STREET ADDRESS				
d. CITY		e. STATE	f. ZIP CODE			
9.ACCOUNTING AND APPROPRIATION DATA ----- \$0.00USD				10. REQUISITIONING OFFICE AMERICAN EMBASSY ASHGABAT ATTN: FM		
11. BUSINESS CLASSIFICATION (Check appropriate box(es))						12. F.O.B. POINT Destination
<input type="checkbox"/> a. SMALL		<input type="checkbox"/> b. OTHER THAN SMALL		<input type="checkbox"/> c. DISADVANTAGED		
<input type="checkbox"/> d. WOMEN-OWNED		<input type="checkbox"/> e. HUBZone		<input type="checkbox"/> f. SERVICE-DISABLED VETERAN-OWNED		
<input type="checkbox"/> g. WOMEN-OWNED SMALL BUSINESS (WOSB) ELIGIBLE UNDER THE WOMEN-OWNED SMALL BUSINESS PROGRAM		<input type="checkbox"/> h. EDWOSB				
13. PLACE OF a. INSPECTION		b. ACCEPTANCE		14. GOVERNMENT B/L NO.		15. DELIVER TO F.O.B. POINT ON OR BEFORE (Date) 25 Dec 2020
						16. DISCOUNT TERMS

17. SCHEDULE (See reverse for Rejections)

ITEM NO. (a)	SUPPLIES OR SERVICES (b)	QUANTITY ORDERED (c)	UNIT (d)	UNIT PRICE (e)	AMOUNT (f)	QUANTITY ACCEPTED (g)	
SEE LINE ITEM DETAIL							
SEE BILLING INSTRUCTIONS ON REVERSE	18. SHIPPING POINT		19. GROSS SHIPPING WEIGHT		20. INVOICE NO.		
	21. MAIL INVOICE TO:						17(h) TOT. (Cont. pages)
	a. NAME AMERICAN EMBASSY ASHGABAT				\$0.00USD		
	b. STREET ADDRESS (or P.O. Box) 7070 ASHGABAT PLACE ATTN: FMO						17(i) (GRAND TOTAL)
c. CITY WASHINGTON		d. STATE DC	e. ZIP CODE 20521				
22. UNITED STATES OF AMERICA BY (Signature)				23. NAME Typed TITLE: CONTRACTING/ORDERING OFFICER			

**DRAFT ORDER FOR SUPPLIES OR SERVICES
SCHEDULE - CONTINUATION**

PAGE NO.

IMPORTANT: Mark all packages and papers with contract and/or order numbers.

DATE OF ORDER	TITLE	CONTRACT NO.			ORDER NO.	
	Measuring Tools-NEC					
ITEM NO. (a)	SUPPLIES OR SERVICES (b)	QUANTITY ORDERED (c)	UNIT (d)	UNIT PRICE (e)	AMOUNT (f)	QUANTITY ACCEPTED (g)
0001	Description: Thermal Scanner Comments: Temperature measurement range: -4 to 662°F (-20 to 350°C); ±2°C or 2% accuracy Quantity: 1pcs Recommended: brand – FLUKE, model- T1125; Link: https://www.gsaadvantage.gov/advantage/catalog/product_detail.do?gsin=11000019646721	1.00	each	\$0.00USD	\$0.00USD	
0002	Description: Non Destructive Moisture Meter, Comments: Measuring Range: 5% to 30% for wood and 0 to 100 Comparative for Other Materials Quantity: 2pcs Recommended: brand – TRAMEX, model-MEP; Link: https://www.gsaadvantage.gov/advantage/catalog/product_detail.do?gsin=11000023366632	2.00	each	\$0.00USD	\$0.00USD	
0003	Description: Circuit Tracing Kit, Comments: Voltage Range 9 to 300VAC/DC 300 to 600VAC For Use On Energized Lines Quantity: 3pcs Recommended: AMPROBE, model- CT326B Link: https://www.gsaadvantage.gov/advantage/ws/catalog/product_detail?gsin=11000017114145	3.00	each	\$0.00USD	\$0.00USD	
0004	Description: Refrigerant Leak Detector Comments: Detects CFC HFC HCFC Refrigerants and For Use With Systems R134a and R12. Quantity: 3pcs Recommended: brand – SUPERCOOL, model- D440A-C; Link: https://www.gsaadvantage.gov/advantage/catalog/product_detail.do?gsin=11000023338700	3.00	each	\$0.00USD	\$0.00USD	
0005	Description: PH Meter, Comments: H2O Proof, 0.00 to 14, Operating Temp. Range 1-5 to 90 Degrees Quantity: 5pcs Recommended: brand – EXTECH, model- PH100; Link: https://www.gsaadvantage.gov/advantage/ws/catalog/product_detail?gsin=11000043369614 Comments: to check PH of water treatment plant / pool – plumber dept	5.00	each	\$0.00USD	\$0.00USD	
0006	Description: Chlorine meter, Comments: Total Chlorine0.01 to 10.00 ppm, Operating Temp. Range 1-5 to 90 Degrees, Chlorine Accuracy+/-0.02 ppm Quantity: 5pcs Recommended: brand –EXTECH, model- CL200; Link: https://www.gsaadvantage.gov/advantage/ws/catalog/product_detail?gsin=11000062579375	5.00	each	\$0.00USD	\$0.00USD	
0007	Description: Refrigerant Evacuation Pump,	2.00	each	\$0.00USD	\$0.00USD	

	<p>Comments: 230V 50Hz, 3/8", 1/4" and 1/2" Flare, 7.0 cfm Displacement, 1/2 HP; Quantity: 2pcs Recommended: JB INDUSTRIES DV-200N; Link: https://www.gsaadvantage.gov/advantage/catalog/product_detail.do?gsin=11000002478492</p>				
0008	<p>Description: Refrigerant Recovery Unit, Comments: 230 Volt Version, Works with all common CFC, HFC, HCFC Refrigerants including R-410A; High Pressure Safety Shut-off Switch Quantity: 2pcs Recommended: Robinair RG3-230; Link: https://www.amazon.com/Robinair-ECO-Recovery-Machine-ROB-RG3-230/dp/B00PKOLI16/ref=sr_1_1?dchild=1&keywords=Robinair+RG3-230&qid=1597995837&sr=8-1</p>	2.00	each	\$0.00USD	\$0.00USD
0009	<p>Description: Laser Tachometer, Comments: 0.5 to 20, 000 rpm, Contact and Noncontact; Contact RPM Range0.5 to 20,000; Noncontact RPM Range10 to 99,999; Speed (FPM)0.20 to 6560; Speed (M/Min)0.05 to 1999.9 RPM; Accuracy0.05% of Reading +1 Digit; Working Distance6.5 ft. RPM Resolution0.100 (Less than 1000 rpm), 1 (Greater than 1000 rpm) Quantity: 2pcs Recommended: brand – EXTECH model- 461995; Link: https://www.gsaadvantage.gov/advantage/catalog/product_detail.do?gsin=11000011431233</p>	2.00	each	\$0.00USD	\$0.00USD
0010	<p>Description: EARTH GROUND TESTER KIT Comments: 128 HZ 250VAC Quantity: 3pcs Recommended: FLUKE-1621 KIT ; Link: https://www.gsaadvantage.gov/advantage/ws/catalog/product_detail?gsin=11000028836734</p>	3.00	each	\$0.00USD	\$0.00USD
0011	<p>Description: MULTIMETER AND CLAMP METER COMBO KIT Comments: Quantity: 5pcs Recommended: FLUKE-117/323 Link: https://www.gsaadvantage.gov/advantage/ws/catalog/product_detail?gsin=11000035552513</p>	5.00	each	\$0.00USD	\$0.00USD
0012	<p>Description: Probe Leads, Black/Red Comments: spare probe leads for Fluke multimeters Quantity: 10pcs Recommended: TL75 Fluke ; Link: https://www.gsaadvantage.gov/advantage/catalog/product_detail.do?gsin=11000003516456</p>	10.00	each	\$0.00USD	\$0.00USD
0013	<p>Description: True-RMS AC/DC Clamp Meter with iFlex 2500 A Comments: TRMS AC/DC CLAMP WITH IFLEX 2500 A Quantity: 2pcs Recommended: Fluke 376 FC; Link: https://www.gsaadvantage.gov/advantage/ws/catalog/product_detail?gsin=11000022127070</p>	2.00	each	\$0.00USD	\$0.00USD

0014	Description: Three-Phase Power Quality Loggers; Comments: includes Fluke 1738, Voltage Test Leads, (4) Alligator Clips, (4) 1500A Flexible Current Probes, Soft Case, (3) Line Cords, Color Coding Set, USB Flash Drive Containing Fluke Energy Analyze Plus Software Quantity: 1pcs Recommended: FLUKE 1738/EUS; Link: https://www.gsaadvantage.gov/advantage/catalog/product_detail.do?gsin=11000047332714	1.00	each	\$0.00USD	\$0.00USD
0015	Description:, Flexible AC Current Clamps Comments: Flexible AC Current Clamps for 1738 6000A AC, 36 in. (x 4), Quantity: 1pcs Recommended: FLUKEI17XX-FLEX6000/4PK ; Link: https://www.gsaadvantage.gov/advantage/ws/catalog/product_detail?gsin=11000046076773	1.00	each	\$0.00USD	\$0.00USD
0016	Description: Infrared Thermometer, Comments: Dot Matrix LCD Laser Sighting: Single Dot, -40° to 1472° Temp. Range (F); Temp. Accuracy (F) – Infrared+/-1.0% or +/-2.0 Degrees Whichever is greater @ 32.0 Degrees Quantity: 5pcs Recommended: FLUKE 568; Link: https://www.gsaadvantage.gov/advantage/catalog/product_detail.do?gsin=11000009992912	5.00	each	\$0.00USD	\$0.00USD
0017	Description: Light Meter, Data Logging; Comments: Measuring Range0.01 to 40,000 FC; 0.1 to 400,000 Lux Resolution0.01 FC or 0.1 Lux Accuracy+/-5% Display4000 Count Backlit LCD Quantity: 5pcs Recommended: EXTECH HD450; Link: https://www.gsaadvantage.gov/advantage/catalog/product_detail.do?gsin=11000062474579	5.00	each	\$0.00USD	\$0.00USD
0018	Description: MILLI OHM METER 0-2000 OHMS Comments: Milli and Microhm Meters 0 to 2000 ohm Resolution 100u Ohms to 1 Ohms Accuracy +/-0.5 Percent , Includes (1) Shoulder Belt (4) Test Leads (Green Red Blue Black) (8) AA Batteries Spare Fuse Quantity: 1pcs Recommended: Amprobe MO-100; Link: https://www.gsaadvantage.gov/advantage/ws/catalog/product_detail?gsin=11000031999492	1.00	each	\$0.00USD	\$0.00USD
0019	Description: PHASE SEQUENCE AND MOTOR ROTATION TESTER Comments: Voltage Range 40 to 700VAC Frequency Range 16 to 400Hz Quantity: 2pcs Recommended: AMPROBE PRM-6; for technicians to identify phase sequence of motor/chiller Link: https://www.gsaadvantage.gov/advantage/ws/catalog/product_detail?gsin=11000050876236	2.00	each	\$0.00USD	\$0.00USD
0020	Description: Laser Distance Meter, Comments: 50m /165 ft.; Maximum measuring	5.00	each	\$0.00USD	\$0.00USD

	tolerance ± 3.0 mm; Quantity: 5pcs Recommended: Fluke 414D; Link: https://www.gsaadvantage.gov/advantage/ws/catalog/product_detail?gsin=11000021653680				
0021	Description: INDOOR AIR QUALITY MONITOR, Comments: Simultaneously displays CO ₂ , CO, temperature and humidity measurements; Calculates dew point, wet bulb and percent outside air; One instrument with multiple plug-in probe options including VOC's and air velocity Quantity: 2pcs Recommended: Q-TRAK 7575; Link: https://www.gsaadvantage.gov/advantage/catalog/product_detail.do?gsin=11000014097612	2.00	each	\$0.00USD	\$0.00USD
0022	Description: Anemometer with Humidity Comments: Measures Air Velocity, Air Flow, Relative Humidity, Wet Bulb and Dew Point, 40 to 5900 fpm Quantity: 1pcs Recommended: Extech AN310; Link: https://www.gsaadvantage.gov/advantage/ws/catalog/product_detail?gsin=11000034284151	1.00	each	\$0.00USD	\$0.00USD
0023	Description: Vibration Meter Comments: Digital Vibration Meter Kit Acceleration Range 2 to 656 ft/s ² or 0.5 to 200 m/s ² Frequency Range Hz 10 To 1 K Temp Range F 32 to 122 Temp Range C 0 to 50 Quantity: 2pcs Recommended: 407860 EXTECH; Link: https://www.gsaadvantage.gov/advantage/ws/catalog/product_detail?gsin=11000019448837	2.00	each	\$0.00USD	\$0.00USD
0024	Description: Sound level calibrator Data logger, Comments: Calibrator, Sound W/NIST 407766 Quantity: 2pcs Recommended: 407766 EXTECH; Link: https://www.gsaadvantage.gov/advantage/ws/catalog/product_detail?gsin=11000018970619	2.00	each	\$0.00USD	\$0.00USD
0025	Description: Handheld Refractometer Comments: Brix Scale, Bx-10 Model, 0-10% Range, 0.1% Resolution Quantity: 3pcs Recommended: Vee Gee 43009; Link: https://www.grainger.com/product/VEE-GEE-185mm-x-40mm-x-40mm-Brix-Refractometer-9F740	3.00	each	\$0.00USD	\$0.00USD
0026	Description: GFCI Receptacle Tester US plug Comments: 200~230V 50Hz US plug; Quantity: 20pcs Recommended: MESTEK ST02B; Link: https://www.amazon.com/Receptacle-MESTEK-Automatic-Electrical-Polarity/dp/B07TWF2RK/ref=pd_di_sccai_4/138-4355296-9447052?_encoding=UTF8&pd_rd_i=B07TWF2RK&pd_rd_r=f04a5bc9-bed6-4a41-8a80-271811517b9a&pd_rd_w=d4Mn7&pd_rd_wg=0dwp6&pf_rd_p=5415687b-2c9d-46da-88a4-bbcfe8e07f3c&pf_rd_r=EPKC3CTME7XGCZGRW	20.00	each	\$0.00USD	\$0.00USD

0027	<p>W44&psc=1&refRID=EPKC3CTME7XGCZGRWW44</p> <p>Description: GFCI Receptacle Tester EUR plug Comments: 200~230V 50Hz US plug; Quantity: 5pcs Recommended: Jadeshay HT106D; Link: https://www.amazon.com/Jadeshay-HT106D-Electric-Socket-Checker/dp/B07WYZNLZK/ref=sr_1_4?dchild=1&keywords=HT106D&qid=1597990806&s=industrial&sr=1-4</p>	5.00	each	\$0.00USD	\$0.00USD
0028	<p>Description: Battery Analyzer, Comments: Battery rating range: Cold cranking amps (CCA) 50 – 4000; Cranking amps (CA) 65 – 5000; Ampere hours (A h) 6 – 500; DC voltmeter range 1.0 - 14 V; Voltmeter accuracy ±0.1 V; Power source 9 V battery or test battery; Test time 20 seconds; Operating temperature range 0° to 50° C (32° to 120° F); Storage temperature range -20° to 70° C (0° to 160° F); Over voltage protection Up to 18 V; Quantity: 2pcs Recommended: brand - CAT, model- 177-2330; Link: https://www.ebay.com/p/1042138543 or https://www.cat.com/en_US.html</p>	2.00	each	\$0.00USD	\$0.00USD

Order Comments:
General conditions.

PAYMENT TERM: NET 30 Days (100% of the total contract price will be paid by bank transfer to the Supplier's account after delivery and acceptance of goods)

Shipping: Ashgabat Direct OR NJ, 08902 USA

SAM registration is required (<https://sam.gov/>)
For US vendors - if a quote is more or equals 10.000 USD
For other Vendors - if a quote is more or equals 30.000 USD

TOTAL CARRIED FORWARD TO 1 ST PAGE (ITEM 17h)	\$0.00USD	
--	-----------	--